

Technical Data Sheet

Effective: 25/08/2020 Supersedes: N/A

Automotive Aftermarket Division

3M™ Flexible Abrasive Foam Disc

1) Part Numbers

Size 77 mm			
33550	3M™ Flexible Abrasive Foam Disc, P800 , 77 mm		
33551	3M™ Flexible Abrasive Foam Disc, P1000 , 77 mm		
33552	3M™ Flexible Abrasive Foam Disc, P1200 , 77 mm		
33553	3M™ Flexible Abrasive Foam Disc, P1500 , 77 mm		
33554	3M™ Flexible Abrasive Foam Disc, P2000 , 77 mm		
Size 125 mm			
33545	3M™ Flexible Abrasive Foam Disc, P800 , 125 mm		
33546	3M™ Flexible Abrasive Foam Disc, P1000 , 125 mm		
33547	3M™ Flexible Abrasive Foam Disc, P1200 , 125 mm		
33548	3M™ Flexible Abrasive Foam Disc, P1500 , 125 mm		
33549	3M™ Flexible Abrasive Foam Disc, P2000 , 125 mm		
Size 150 mm			
33538	3M™ Flexible Abrasive Foam Disc, P400 , 150 mm		
33539	3M™ Flexible Abrasive Foam Disc, P600 , 150 mm		
33540	3M™ Flexible Abrasive Foam Disc, P800 , 150 mm		
33541	3M™ Flexible Abrasive Foam Disc, P1000 , 150 mm		
33542	3M™ Flexible Abrasive Foam Disc, P1200 , 150 mm		
33543	3M™ Flexible Abrasive Foam Disc, P1500 , 150 mm		
33544	3M™ Flexible Abrasive Foam Disc, P2000 , 150 mm		

2) Description and end uses

High performance product designed for use with a DA sander or by hand. Product has a very good initial and sustained cut for use on clear coats, paint, primer and plastics. Product can be used wet or dry.

Grade	Applications	Comments
P400	Final DA primer refinement before 2K paint application Plastic bumper sanding Stone chip sanding – prep for base coat and clear coat application	Not advisable on silvers / bright metallic colours
P600	Final primer sanding before critical base coat application (water-based BC)	Detailed in the 3M Sanding Process SOP
P800	Final primer sanding before critical base coat application Blend in	Detailed in the 3M Sanding Process SOP
P1000	Blend in	Detailed in the 3M Sanding Process SOP
P1200	Coarse defect removal (orange peel) as part of Paint Rectification Polyurethane Clear coat rectification	
P1500	Defect Removal- Paint Rectification	
P2000	Minor defect removal- Paint Rectification	For minor texture adjustments



Technical Data Sheet

Effective: 25/08/2020 Supersedes: N/A

3) Physical Properties

Backing: Flexible foam backed abrasive with Hookit™ attachment system

Mineral: Aluminium Oxide

Bonding: Resin Bond

Colour: Clear film with blue foam backing

Grades: P400 - P2000 (FEPA)

4) Directions for Use

Universal product can be used wet or dry and by hand or machine for blending applications.

5) Storage

It is recommended that all Coated Abrasive Products should be stored at constant levels of temperature and humidity within the ranges of 18-22°C, 50-65% RH. They should be kept away from damp (or cold) walls, windows or floors to avoid possible moisture absorption. Equally storage adjacent to heat sources e.g. steam pipes, radiators, hot air ducts, ovens, etc. should be avoided. Product is best stored in original packaging until ready for use. Shelf Life indefinite under these conditions.

6) Safety

Whenever possible, sanding should be carried out in a well-ventilated area and it is strongly recommended that suitable goggles, dust mask and gloves are worn. Pads should not be modified in any way. They should be used only in their original size and shape, as supplied.

3M™ Flexible Abrasive Foam Disc is designed FOR PROFESSIONAL INDUSTRIAL USE ONLY.

7) Disclaimer

All statements, technical information and recommendations are based on tests we believe to be reliable as at the date of hereof, but the accuracy or completeness thereof is not guaranteed. Please ensure before using the product that it is suitable for your intended use. Since the conditions and methods of use of the product and of the information referred to herein are beyond our control, other than for fraudulent misrepresentation, 3M expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.



Technical Data Sheet

Effective: 25/08/2020 Supersedes: N/A

For Additional Health and Safety Information

3M South Africa & Sub-Saharan Africa, 146A Kelvin Drive, Woodmead, Sandton, South Africa, Tel: (0861) 225536

3M (East) AG Representation Office Tirane, Rruga Sami Frasheri, Pallati i Ri Perxhola Kati 2 Ap2, 1000 Alhania

3M Arabia, LLC, Building 24-25 3M Saudi Arabia Zone C, Business Gate, Airport Road, Riyadh, Saudi Arabia

3M Bulgaria, Mladost 4, Business Park, bl.4, 2nd floor, Sofia 1766, Bulgaria

3M Česko, spol. s r.o., V Parku 2343/24, 148 00 - Praha 4, Czech Republic

3M (East) AG, Branch office Croatia, Avenija Većeslava Holjevca 40, 10 000 Zagreb, Croatia, Tel: +385 1 2499750, www.3m.com.hr

3M Egypt, Finance Center, New Cairo, Plot 140, Banking Sector, 5th settlement, Cairo, Egypt

3M Hellas MEPE, Automotive Aftermarket Division, 20 Kifisias Avenue, 151 25 Marousi, Greece, Phone: +30 210 68 85 300, innovation.gr@mmm.com, www.3M.gr

3M Hungária Kft, Neumann János u. 1/E, 1117 Budapest, Hungary

3M Israel, 91 Medinat Hayehudim St., Herzliya, Israel

3M Kenya Ltd, Victoria Towers, 3rd Floor, Kilimanjaro Av, Upperhill, Kenya

3M Gulf Limited, Ein El Mreisseh, Saint Charles City Center, 4th. Floor, P.O.Box: 11-5025, Riad el Solh, Beirut 1107 2180 Lebanon

3M Minnesota Mining & Manufacturing Nigeria Limited, No 2 Sheraton Opebi Link Road, Ikeja, Lagos Nigeria

3M Pakistan, Islamic Chamber of Commerce Building, ST-2/A, Block 9, KDA Scheme 5, Clifton, Karachi, Pakistan

3M Poland, Al. Katowicka 117, Kajetany, 05-830 Nadarzyn, Poland, Telefon: +48 22 739 60 00, www.3m.pl/kontakt

3M Gulf (Representation Office), Suhaim Bin Hamad St., Al Mana Towers Tower B, 2nd Floor, Office No.4, Doha Qatar, P.O.Box 14685

3M Romania,12 Menuetului St., Bucharest Business Park, Building D, District 1 013713 Bucharest, Romania

3M (East) AG, Representation Office Serbia, Airport City, Omladinskih brigada 90B, 11070 Belgrade, Serbia, Tel: +381 11 2209 400, www.3m.co.rs/3M/sr_RS/3m-south-east-europe/

3M Slovensko s.r.o., Polus Tower 2, Vajnorská 100/B, 83104 Bratislava

3M (East) AG, Branch office Slovenia, Cesta v Gorice 8, 1000, Ljubljana, Slovenia,

Tel: +386 1 2003 630, www.3m.com/3M/sl_Sl/3m-south-east-europe/

3M Sanayi ve Ticaret As, Barbaros Mah., Mor Sümbül Sok., No:7/3F, 27-51, Nidakule Ataşehir Güney, 34746 Ataşehir, İstanbul, Turkey

3M Gulf Limited, Dubai Internet City, Building No. 11, 3rd Floor, U.A.E.

3M and Hookit are the trademarks of 3M Company, © 3M 2020, All rights reserved.